

## Discover our clearance catalogue!

All devices are refurbished and available within one week throughout France, until 31/12 or while supplies last. Delivered with a verification report. Warranty up to 12 months.

All prices are excluding VAT.

**Only one unit available at this price !**

### AEROFLEX

|                                                        |                                                                                             |                    |                 |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------|-----------------|
| 3550R - DMR / Oscilloscope / tracking Gen              | Portable, stand-alone digital radio bench : Colour TouchScreen Display, BP = 2MHz/1GHz, USB | <del>19 900€</del> | <b>15 490 €</b> |
| 3550R - DMR / Oscilloscope / tracking Gen / P25 / NXDN | Portable, stand-alone digital radio bench: Colour TouchScreen Display, BP = 2MHz/1GHz, USB  | <del>20 500€</del> | <b>15 990 €</b> |

### ANRITSU

|                                         |                                                                                              |                    |                 |
|-----------------------------------------|----------------------------------------------------------------------------------------------|--------------------|-----------------|
| MS2720T-0720 / 0009-0019-0031-0881-0883 | Spectrum Master : BP=9KHz/20GHz - DANL-164dBm, USB-LAN ...                                   | <del>14 990€</del> | <b>11 990 €</b> |
| MG3692B + 1B-2A-5-22                    | Synthesised Microwave Signal Generator: BP=2/20GHz, +17dBm*, Modulations, GPIB               | <del>11 490€</del> | <b>9 990 €</b>  |
| MG3692A + 2A-3-4                        | Synthesised Microwave Signal Generator: BP=10Mhz/20GHz, +17dBm*, Modulations, GPIB ...       | <del>9 490€</del>  | <b>7 990 €</b>  |
| S820D                                   | Cable and Antenna Analyser : Colour, 1 Port - 25MHz/20GHz, RS232 ...                         | <del>9 990€</del>  | <b>7 990 €</b>  |
| MT8852B + 015                           | Bluetooth test bench with audio analysis, graphic LCD screen, GPIB ...                       | <del>9 990€</del>  | <b>4 990 €</b>  |
| MS2724B                                 | High-performance portable spectrum analyser, 9 kHz to 20 GHz, USB Port and mini USB and RJ45 | <del>7 990€</del>  | <b>5 990 €</b>  |
| MS2036A                                 | Spectrum Analyser + 2P Network : VNA MASTER (100KHz/7,1GHz)-(2MHz/6GHz), USB-LAN ...         | <del>6 900€</del>  | <b>5 200 €</b>  |

### AOIP

|          |                                                                                       |                   |                |
|----------|---------------------------------------------------------------------------------------|-------------------|----------------|
| SN8310-1 | Voltage Standard - DC Current: 1100000Pts,100nV to 110V / 1nA to 110mA, 0,002%, RS232 | <del>3 990€</del> | <b>3 490 €</b> |
| PJ6301-4 | High-precision process calibrator : 0,005% accuracy RS232 + BATTERY + GPIB            | <del>5 420€</del> | <b>4 990 €</b> |

### CHAUVIN ARNOUX

|                              |                                                                                                       |                   |                |
|------------------------------|-------------------------------------------------------------------------------------------------------|-------------------|----------------|
| CA8336<br>+4xAmpFlexA193-450 | Equipped Wattmeter - single-phase/three-phase : 5U/4I TRMST+Inrush -1000V(AC+DC) -10KA(AC+DC) - USB   | <del>3 900€</del> | <b>3 300 €</b> |
| CA6161                       | Electrical equipment controller : Insulation-Dielectric-Continuity with Touchscreen ... R-USB-LAN ... | <del>3 200€</del> | <b>2 900 €</b> |

### CHROMA

|       |                                            |                   |                |
|-------|--------------------------------------------|-------------------|----------------|
| 61604 | AC power supply, 2 kVA, 300 V, 15 to 1 kHz | <del>4 490€</del> | <b>3 990 €</b> |
|-------|--------------------------------------------|-------------------|----------------|

### ELEKTRO AUTOMATIK

|                |                                                             |                   |                |
|----------------|-------------------------------------------------------------|-------------------|----------------|
| PS9080-200-4HE | DC power supply, 19", three-phase Input .80Vdc - 200A - 6KW | <del>3 990€</del> | <b>3 490 €</b> |
|----------------|-------------------------------------------------------------|-------------------|----------------|

## ELGAR

|                 |                                                                                                                    |                   |                |
|-----------------|--------------------------------------------------------------------------------------------------------------------|-------------------|----------------|
| SW5250A / 4-3-2 | Variable Frequency Alternative Power Supply: 5KHz three-phase / single-phase or three-phase - 312V / 13A, GPIB ... | <del>7 800€</del> | <b>6 990 €</b> |
|-----------------|--------------------------------------------------------------------------------------------------------------------|-------------------|----------------|

## FLUKE

|         |                                        |                   |                |
|---------|----------------------------------------|-------------------|----------------|
| 190-204 | ScopeMeter 190-204-III diagnostic tool | <del>4 500€</del> | <b>3 900 €</b> |
|---------|----------------------------------------|-------------------|----------------|

## KEITHLEY

|       |                                                                                                    |                    |                |
|-------|----------------------------------------------------------------------------------------------------|--------------------|----------------|
| 2634B | SOURCEMETER - DUAL CHANNEL, 200V, LOW CURRENT                                                      | <del>12 990€</del> | <b>9 990 €</b> |
| 2614B | SOURCEMETER - DUAL CHANNEL, 200V                                                                   | <del>8 900€</del>  | <b>7 900 €</b> |
| 2450  | 6.5-digit touchscreen SourceMeter. : 200V - 10fA à 1A - 20W, GPIB-USB-LAN-TPS ...                  | <del>5 490€</del>  | <b>4 990 €</b> |
| 6514  | Programmable Electrometer / Picoammeter : I = 100aA/20mA, Impedance 200TOhms, GPIB-RS232           | <del>5 200€</del>  | <b>4 600 €</b> |
| 2001  | High-precision TRMS digital multimeter: 7.5 digits, 10 n/1100 Vdc-100 n/775 Vac-0.0018%-2 MHz-GPIB | <del>3 900€</del>  | <b>2 900 €</b> |
| 2400  | Universal model: 5.5D multimeter + Source Meter 20W - 1µV/210Vdc - 10pA/1.05Adc - GPIB-RS232       | <del>3 300€</del>  | <b>2 990 €</b> |

## KEYSIGHT AGILENT HP

|                                            |                                                                                        |                    |                 |
|--------------------------------------------|----------------------------------------------------------------------------------------|--------------------|-----------------|
| N9030A-526-B25-P13                         | High-precision PSA series spectrum analyser : BP=3Hz / 26,5GHz, GPIB-USB-LAN           | <del>39 990€</del> | <b>34 990 €</b> |
| MSOS804A + EZJIT Plus + Noise + RFFE + USB | Touchscreen colour mixed signal oscilloscope:4V+16VLBP=8GHz-200MPts-20Gs/s, USB-LAN    | <del>38 990€</del> | <b>29 990 €</b> |
| DSOS404A / DS1                             | Digital Colour Touchscreen Oscilloscope. : 4V.BP=4GHz-200MPts-20Gs/s, USB-LAN          | <del>29 990€</del> | <b>27 990 €</b> |
| E5071C-4D5 + 019-TDR-UNQ                   | Microwave Vector Network Analyser: Colour-4P.300KHz/14GHz,Rés=1Hz,-115/+10dBm,USB-GPIB | <del>34 990€</del> | <b>26 990 €</b> |
| MSO9404A                                   | 4-Channel Oscilloscope- 4GHz - 10 GS/s                                                 | <del>19 990€</del> | <b>16 990 €</b> |
| 4294A                                      | High-resolution impedance analyser:BP=40Hz/110MHz, Rés.=1mHz, GPIB, Floppy.            | <del>14 990€</del> | <b>11 990 €</b> |
| E4446A + 1DS-219-226-AYZ-H26               | High-precision PSA series spectrum analyser:BP=3Hz / 44GHz, RBW=1Hz/8MHz, GPIB-LAN     | <del>28 990€</del> | <b>19 990 €</b> |
| E4980A-001                                 | Precision RCL Measurement Bridge :BP=20Hz to 2MHz - P=0,01%, GPIB-USB-LAN...           | <del>12 490€</del> | <b>9 990 €</b>  |
| N5182A-506 + 1EM-UNT                       | HY Synthesised Signal Generator : MXGBP=9KHz/6GHz-0,001Hz, GPIB-USN-LAN...             | <del>11 000€</del> | <b>8 990 €</b>  |
| N5182A-506 + UNU                           | HY Synthesised Signal Generator : MXGBP=9KHz/6GHz-0,001Hz, GPIB-USN-LAN...             | <del>9 990€</del>  | <b>8 990 €</b>  |
| B2911A                                     | 1-channel Sourcemeter 100nV / 210 V.10.5A 3A / 31,8 W - 2 Ω → 200 MΩ- Resolution =10fA | <del>8 495€</del>  | <b>7 990 €</b>  |
| N5181A-503 + 1ER                           | HY Synthesised Signal Generator : MXGBP=250KHz/3GHz-0,01Hz, GPIB-USB-LAN...            | <del>7 490€</del>  | <b>5 990 €</b>  |
| B2961A                                     | 6.5-Digit Low Noise Power Source, 32 W, 210 V, 3 A, 1-Channel                          | <del>6 990€</del>  | <b>5 990 €</b>  |
| N5181A-503 + UNT-UNU                       | MXG synthesised generator 250 kHz to 3 GHz, GP-IB, LAN and USB interfaces.             | <del>6 490€</del>  | <b>5 490 €</b>  |
| 4395A / SD                                 | Vector Network and Spectrum Analyser: 10Hz/500MHz, RBW=1Hz/1MHz,-133dBm-GPIB           | <del>6 990€</del>  | <b>4 990 €</b>  |
| DSOX3054A                                  | Digital Colour Oscilloscope: InfiniiVision 4 Channels-BP=500MHz-2Gs/s-2MPts, USB ...   | <del>5 490€</del>  | <b>4 990 €</b>  |

|             |                                                                                                             |                   |                |
|-------------|-------------------------------------------------------------------------------------------------------------|-------------------|----------------|
| 1680A       | 136-channel colour logic analyser: 256Kpts200MHz State / 800MHz Timing, Floppy-GPIB                         | <del>7 900€</del> | <b>4 900 €</b> |
| MSO7034A    | 4-Channel colour digital oscilloscope + 16 logic channels :BP=350MHz - 2Gs/s - 8MPts, USB-LAN ...           | <del>5 950€</del> | <b>4 450 €</b> |
| MSOX4024A   | 4-channel oscilloscope - 200Mhz - 5Gs/s                                                                     | <del>4 800€</del> | <b>4 200 €</b> |
| 4396A / 010 | Spectrum Analyser + Vector Network + Impedance:2Hz*1,8GHz - RBW = 1Hz/3MHz, -145dBm - GPIB                  | <del>4 990€</del> | <b>3 990 €</b> |
| 1680AD      | 136-channel colour logic analyser: 1MPts200MHzState / 800MHz Timing, Floppy-GPIB                            | <del>6 900€</del> | <b>3 900 €</b> |
| 1682AD      | 68-Channel colour logic analyser: 1MPts200MHzState / 800MHz Timing, Floppy-GPIB                             | <del>5 490€</del> | <b>3 900 €</b> |
| 54852A      | INFINIUM 4-Channel Digital Oscilloscope: BP=2GHz - 10Gs/s- MegaZoom, GPIB-LAN-USB...                        | <del>3 990€</del> | <b>2 990 €</b> |
| 4195A       | Network and Spectrum Analyser : BP = 10Hz/500MHz, RBW = 3Hz/300KHz, GPIB ...                                | <del>3 900€</del> | <b>2 900 €</b> |
| E5061A-250  | Network analyser 300KHz to 1.5GHz, reflection transmission bridge or S parameter, dynamic range 115dB, GPIB | <del>3 900€</del> | <b>2 900 €</b> |
| N9310A      | RF frequency generator: BP = 9KHz/3GHz, -127/+13dBm, USB ...                                                | <del>3 900€</del> | <b>2 900 €</b> |
| 33522A      | Trueform arbitrary function generator : 2 Channels BP=1µHz/30MHz-250Ms/s-1Mppts, USB-LAN ...                | <del>3 200€</del> | <b>2 800 €</b> |
| DSOX3024A   | Digital Colour Oscilloscope : InfiniiVision 4 channels-BP=200MHz-2Gs/s-2MPts, USB ...                       | <del>3 495€</del> | <b>2 795 €</b> |
| 33250A      | Synthesised and arbitrary function generator: BP=1µHz/80MHz, 10Vpp/50Ohms, GPIB, RS232.                     | <del>2 490€</del> | <b>2 290 €</b> |

## METRIX

|        |                                                                                              |                    |                |
|--------|----------------------------------------------------------------------------------------------|--------------------|----------------|
| CX1651 | Prog. Multifonction Calibrator : 1000Vac/dc - 20Aac/dc-Multimeters - Power, Frequency, RS232 | <del>11 990€</del> | <b>9 990 €</b> |
|--------|----------------------------------------------------------------------------------------------|--------------------|----------------|

## NORTH ATLANTICS

|      |                                                     |                   |                |
|------|-----------------------------------------------------|-------------------|----------------|
| 5330 | Angle Generator. Frequency Response 47 Hz to 10 KHz | <del>9 990€</del> | <b>5 500 €</b> |
|------|-----------------------------------------------------|-------------------|----------------|

## PMM

|       |                                                   |                   |                |
|-------|---------------------------------------------------|-------------------|----------------|
| L3-32 | CISPR 16-1-1 full compliance 9 kHz - 30 MHz - 32A | <del>2 990€</del> | <b>2 790 €</b> |
|-------|---------------------------------------------------|-------------------|----------------|

## PRANA

|       |                               |                    |                |
|-------|-------------------------------|--------------------|----------------|
| SU300 | 1 GHz - 2,5GHz 300w amplifier | <del>14 990€</del> | <b>5 990 €</b> |
|-------|-------------------------------|--------------------|----------------|

## ROHDE & SCHWARZ

|                                       |                                                                                                                             |                    |                 |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------|
| FSP38                                 | Synth. HY colour spectrum analyser : 9KHz/40GHz Net. = 0,01Hz, RBW = 10Hz/10MHz, -145dBm , GPIB                             | <del>24 990€</del> | <b>19 990 €</b> |
| CMW500 + OPTIONS                      | Universal Radio-Com test bench + options KM400/ KM401/ KM403/ KS400/ KS401/ KS403/ KS404/ KS410/ KS411/ KS413/ KT021/ KT023 | <del>16 990€</del> | <b>6 990 €</b>  |
| SMBV100A-B106-B10-B92                 | Vector Signal Generator : Modulation I/QBP = 9KHz to 6GHz, GPIB-RS232-USB-LAN                                               | <del>9 990€</del>  | <b>8 490 €</b>  |
| SMB100A-B106                          | RF Signal Generator: BP = 9KHz/6GHz, 50Ohms, GPIB-USB-LAN                                                                   | <del>8 990€</del>  | <b>7 990 €</b>  |
| SME03 – B2 + B4 + B5 + B8 + B11 + B12 | Synthesised IF frequency generator : GPIB, BP = 5KHz/3GHz, -114/+13dBm, AM, Sweeper...                                      | <del>3 990€</del>  | <b>2 990 €</b>  |
| SMY02 + B1                            | Synthesised IF frequency generator: 9KHz/2,08GHz, Net. = 1Hz, -140/+13dBm, AM/FM/Phase, GPIB                                | <del>2 990€</del>  | <b>1 990 €</b>  |

## SORENSEN

|             |                                                                    |                    |                |
|-------------|--------------------------------------------------------------------|--------------------|----------------|
| DHP15 - 440 | DC Power Supply 1 Channel - 15V - 440A - three-phase Input - 6600W | <del>4 200 €</del> | <b>3 800 €</b> |
|-------------|--------------------------------------------------------------------|--------------------|----------------|

## SRS

|       |                                                          |                    |                |
|-------|----------------------------------------------------------|--------------------|----------------|
| CS580 | AC and DC current source - Current from 100 fA to 100 mA | <del>2 990 €</del> | <b>2 490 €</b> |
|-------|----------------------------------------------------------|--------------------|----------------|

## TDK LAMBDA

|                       |                                                                                                                                                          |                    |                |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|
| G600-8.5-3P400        | Programmable power supply 0-600V / 0-8.5A, 1U with LAN, USB, RS232/485, Isolated Analogue Voltage/Resistive and Programming/Monitoring Control interface | <del>3 995 €</del> | <b>3 495 €</b> |
| GEN16-310-3P400       | Lab DC switching power supply: 2U-19" TRI.1S - 0 to 16Vdc / 310A - 4960W, RS232/485.                                                                     | <del>3 300 €</del> | <b>2 600 €</b> |
| GEN250-40-3P400       | Lab DC switching power supply: 3U-19" TRI.1S - 0 to 250Vdc / 60A - 15KW, RS232/485                                                                       | <del>2 990 €</del> | <b>2 490 €</b> |
| GEN600-5.5-IEEE-1P230 | Programmable power supply 0/10V RS IEEE 0-600V/0-5,5A 19" 2U                                                                                             | <del>2 900 €</del> | <b>2 490 €</b> |
| GEN150-34-3P400       | Lab DC switching power supply: 2U-19" TRI.1S - 0 to 150Vdc / 34A - 5100W, RS232/485.                                                                     | <del>3 200 €</del> | <b>2 490 €</b> |
| GEN600-5.5-1P230      | Lab DC switching power supply: 2U-19" MONO/1S - 0 to 600Vdc / 5,5A - 3300W, RS232/485                                                                    | <del>2 700 €</del> | <b>2 290 €</b> |
| GEN10-240-1P230       | Lab DC switching power supply: 1U-19" 1S - 0 to 10Vdc / 240A - 2400W, RS232/485                                                                          | <del>2 200 €</del> | <b>1 900 €</b> |

## TEKTRONIX

|              |                                                                                                     |                     |                 |
|--------------|-----------------------------------------------------------------------------------------------------|---------------------|-----------------|
| MSO70404C    | 4GHz 25 Gs/s digital oscilloscope with 16 logic channels                                            | <del>16 990 €</del> | <b>14 990 €</b> |
| MSO4104      | 4-channel digital oscilloscope + 16 logic channels, BP = 1GHz - 5Gs/s - 10MPts, USB, Ethernet ...   | <del>9 990 €</del>  | <b>7 990 €</b>  |
| MSO4054B-TEK | Oscilloscope MIXTE (4 + 16VL) : DPO4000BBP Series = 500MHz - 2,5Gs/s - 20MPts, USB, Ethernet ...    | <del>8 995 €</del>  | <b>6 995 €</b>  |
| MDO4034C     | Digital Oscilloscope (MIXTE-options) : 4 Channels BP = 350MHz-2,5Gs/s - 20MPts, USB-LAN ...         | <del>6 990 €</del>  | <b>5 990 €</b>  |
| DPO4034B     | 4-channel digital oscilloscope : DPO4000BBP Series = 350MHz - 2,5Gs/s - 20MPts, USB, Ethernet ..... | <del>5 990 €</del>  | <b>5 490 €</b>  |
| DPO5054B     | Digital Phosphore Oscilloscope : 4 Channels BP = 500MHz-5Gs/s-25MPts, USB-LAN ...                   | <del>7 995 €</del>  | <b>4 995 €</b>  |
| DPO4054B     | 4-channel digital oscilloscope : DPO4000BBP Series = 500MHz - 2,5Gs/s - 20MPts, USB, Ethernet ...   | <del>6 990 €</del>  | <b>4 990 €</b>  |
| TDS3052C     | 2-channel DPO colour digital oscilloscope : BP = 500MHz-5Gs/s-10Kpts, USB-LAN, ...                  | <del>3 900 €</del>  | <b>3 300 €</b>  |
| TDS694C      | DSO colour digital oscilloscope : BP = 3GHz10Gs/s/v. - 500Pts/30Kpts - 100ps - GPIB + Floppy        | <del>2 990 €</del>  | <b>2 790 €</b>  |
| P6780        | 17 channel differential input logic probe for MSO70000 with solder-in accessories                   | <del>3 490 €</del>  | <b>2 890 €</b>  |
| DPO2014      | 4-Channel Colour Digital Oscilloscope, BP = 100MHz - 1Gs/s - 1MPts, USB2.0 ...                      | <del>1 990 €</del>  | <b>1 490 €</b>  |

## TELEDYNE LECROY

|                                  |                                                                                                    |                     |                 |
|----------------------------------|----------------------------------------------------------------------------------------------------|---------------------|-----------------|
| SDA 760Zi                        | Digital Oscilloscope and Signal Analyzers 4Channels-6GHz-40Gs/s-20MPts, USB-LAN...                 | <del>28 900 €</del> | <b>23 900 €</b> |
| HDO9404-MS                       | 4GHz high-definition oscilloscope, 10 bits, 40 GS / s, 4 channels, 64 Mpts                         | <del>22 900 €</del> | <b>18 900 €</b> |
| HDO8108 + CAN-I2C-SPI-UART-POWER | 12-bit digital oscilloscope: 8 Channels - 1GHz10Gs/s - 50MPts - Spectrum function, USB, LAN ...    | <del>19 990 €</del> | <b>17 990 €</b> |
| HDO8058 + UART/SPI - USB2_TD     | 12-bit digital oscilloscope : 8 Channels - 500MHz10Gs/s - 50MPts - Spectrum function, USB, LAN ... | <del>15 990 €</del> | <b>14 990 €</b> |

|                |                                                                                                                                                                                     |                    |                |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|
| WavePro 715Zi  | Digital Oscilloscope and Signal Analysers 4 channels-1,5GHz-40Gs/s-20Mpts, USB-LAN...                                                                                               | <del>11 900€</del> | <b>9 990 €</b> |
| HDO9104        | High-definition 1GHz oscilloscope, 10 bits, 40 GS / s, 4 channels, 64 Mpts                                                                                                          | <del>10 490€</del> | <b>8 900 €</b> |
| Wavesurfer 10M | High-definition 4GHz oscilloscope: 1GHz-5Gs/s-10Mpts/v, 5xUSB, LAN, USB ...                                                                                                         | <del>9 900€</del>  | <b>7 990€</b>  |
| Wavesurfer 10  | Colour digital storage oscilloscope (DSO), 4 channels, 1 GHz bandwidth, 5 GSa/s sampling rate, 10 Mpts memory per channel, equipped with 5× USB ports and LAN                       | <del>8 900€</del>  | <b>7 900 €</b> |
| Wavesurfer 510 | Digital storage oscilloscope (DSO), color display, 4 channels, 1 GHz bandwidth, 10 GSa/s sampling rate, 16 Mpts memory per channel, equipped with 5× USB ports and LAN connectivity | <del>10 900€</del> | <b>7 900 €</b> |
| Wavejet 322A   | Colour TFT-LCD digital oscilloscope, 2 channels, 200 MHz bandwidth, 2 GSa/s sampling rate, 500 Kpts memory per channel, math/FFT functions, USB connectivity                        | <del>1 900€</del>  | <b>1 200 €</b> |

### WAYNE KERR

|       |                                                                                        |                   |                |
|-------|----------------------------------------------------------------------------------------|-------------------|----------------|
| 6505B | RLC Bridge and Precision Impedance Analyser :BP=20Hz/5MHz -0,05% -Graph Mode, GPIB-USB | <del>9 995€</del> | <b>8 995 €</b> |
|-------|----------------------------------------------------------------------------------------|-------------------|----------------|

### WILLTEK

|       |                                                                    |                   |                |
|-------|--------------------------------------------------------------------|-------------------|----------------|
| 4202R | Mobile phone tester (GSM, E-GSM, GPRS) : BP=925/1990MHz, RS232 ... | <del>8 990€</del> | <b>7 990 €</b> |
|-------|--------------------------------------------------------------------|-------------------|----------------|

### YOKOGAWA

|                         |                                                                                          |                   |                |
|-------------------------|------------------------------------------------------------------------------------------|-------------------|----------------|
| DL850 + 720210 + 701260 | Oscilloscope + modular recorder, 15 different multi-purpose drawers                      | <del>6 400€</del> | <b>4 900 €</b> |
| WT1600-760101-40 / B5   | Three-phase digital wattmeter (modular) : 0,1%DC/0,5Hz à 1MHz - 1000V + 4xModules 5A ... | <del>4 900€</del> | <b>3 900 €</b> |

### 01DB

|            |                                                                        |                   |                |
|------------|------------------------------------------------------------------------|-------------------|----------------|
| FUSION SLM | Sound level meter analyser, colour touch screen: class 1 : 118dB - USB | <del>4 600€</del> | <b>3 990 €</b> |
|------------|------------------------------------------------------------------------|-------------------|----------------|